

Software Features			
Wake on RF	webRTC (Real Time Communication)	Video Tag	Wake-on-LAN (WOL)
Yes	No	No	No
SNMP			
No			

Hospitality Features			
Home (Launcher Bar)	Instant On	USB Auto Playback+	Welcome Screen (Splash Image)
Yes	Yes	No	No
EzManager	Pillow Speaker Compatibility	Motion Eye Care	One Channel Map
No	N/A	No	No
Welcome Video	Insert Image	HTNG-CEC	RJP (Remote Jack Pack) Compatibility
No	Yes	No	NO
USB Auto Playback	Lock Mode	Installer Menu	Public Display Mode
No	No	No	No
Hotel Mode	Port Block		
No	Yes		

Electrical			
Power Consumption (Max.)	Power Supply	Optional DC Power Supply Input (AM-PW188A)	Power over Coax (PoC)
170W	100-240 Vac, 50/60 Hz	N/A	N/A
Optional DC Power Supply Output (AM-PW188A)	Power Consumption (Standby)	Power Consumption (Typ.)	
N/A	Not Available	140 W	

^ Mechanical			
Color	Back Color	Bezel Width (On Bezel)	Bezel Width (Off Bezel)
Dark Charcoal Gray	Not Available	L/R/U: 12.8 mm, B: 19.9 mm	L/R/U: 6.9 mm, B: 18.4 mm
Stand Type	Weight	Weight with Stand	Shipping Weight
1 pole - Swivel	30.9 lbs / 14.0 kg	37.9 lbs / 17.2 kg	49.2 lbs / 22.3 kg
Dimensions (W x H x D)	Dimension with Stand (W x H x D)	Dimensions with Top Mount (W x H x D)	Shipping Dimensions (W x H x D)
48.6 x 28.1 x 2.3 in / 1235 x 715 x 57.5 mm	48.6 x 30.6 x 11.9 in / 1235 x 777 x 303 mm	N/A	53.5 x 33.9 x 8.1 in / 1360 x 860 x 207 mm
Credenza / Security Aperture	Kensington Lock	Lock Down Plate	VESA™ Standard Mount Interface
	Yes	Yes	
Yes			300 x 300 mm
^ Audio/Sound			
Built-in Speakers	AI Acoustic Tuning	AI Sound	LG Sound Sync
Yes (x2) 10W	No	No	No
Sound Mode	One Touch Sound Tuning	Clear Voice	
No	No	No	
^ Broadcasting			
Digital (Terrestrial, Cable, Satellite)	Analog (NTSC/SECAM/PAL)	Global IPTV Support (IPStreaming)	MPEG-2 / MPEG-4 H.264 Decoding
ATSC, Clear QAM	NTSC	No	No
Closed Caption			
Not Available			
^ Features			
IR Signal from Receiver (Logic High Pulses)	Update Time	VLAN ID	Embedded b-LAN
	No	No	No
No			

Beacon	SI Compatible (TVLink Interactive)	NTP Sync Timer	Multi-code IR
No	No	No	No
Voice Recognition (Standalone / Solution)	V-Lan Tag	Mobile Connection Overlay	Diagnostics
No	No	No	Yes (RF Remote)
LG TV Plus App	Energy Saving Mode	External Control Interface	IoT
No	Yes	No	No
IR Signal from Receiver (Logic Low Pulses)	XD Engine	USB Data Cloning	Picture Mode
No	No	No	Not Available
^ System			
Operating System (OS)	Main Processor (SoC)		
No	No		
^ Connectivity			
HDMI In	HDMI-ARC	RF In (Antenna / Cable)	IR In (3.5 mm)
Yes (x3) v2.0	Yes (x1) v2.0	Yes (x1)	No
RS-232C (3.5 mm)	RS-232C (D-sub 9-pin)	RJ45 (LAN)	RJ45 (AUX LAN)
Yes (x1)	No	No	No
RJ45 (Ethernet)	MPI (RJ12)	ECI (RJ12)	Service Only (3.5 mm)
Yes (x1)	Yes (x1)	No	Yes (x1)
USB Type-A In	MPI (RJ45)	Simplink (HDMI-CEC)	Simplink (HDMI-CEC) plus CEC-HTNG
Yes (x1) v2.0	No	Yes (x1) HDMI 1.4	No
AV In (3.5 mm)	DC In	Pillow Speaker Interface (6 Pin)	TV Link CFG (3.5 mm)
Yes (x1)	No	No	N/A
Audio Out (3.5 mm)	Digital Audio Out (Optical)	IR Out	Headphone Out (3.5 mm)

Yes (x1)	Yes (x1)	No	No
Built-in Wi-Fi	Port Location	RF / AC In (Power Over Coax)	Debug (3.5 mm)
No	Rear, Side	No	No
Speaker Out / Line Out			
No			
^ Warranty & Other			
Assembled In	Warranty	Onscreen Display Languages	UPC
Not Available	3 Year Limited	Not Available	1 95174 05810 7
Basic Accessories (included)			
Not Available			
^ Regulatory & Certifications			
UL Certification	NOM	CEC (Regulatory)	RoHS (Environmental)
No	No	No	No
FCC (Regulatory)	ISO 22196 (Antimicrobial)	NRCan	ETL
Yes	No	No	No
Conformal Coating			
No			
^ Smart Features			
Smart Home (Launcher Bar)	Gallery Mode	Quick Access	Web Browser
No	No	Yes	No
Pre-loaded Apps	Magic Remote Compatibility	SW Clock (World Clock / Al arm)	Soft AP
No	No	No	No

Moving Picture Playback (SDD/Plus HD)	Auto Off / Sleep Timer	Bluetooth Audio Playback	Bluetooth Sound Sync (Audio Playback)
No	Yes	No	No
Screen Share (Miracast)	Smart Share	Multi View	Home Office
No	No	N/A	N/A
SDP Server Compatibility	DIAL		
No	No		

^ Hospitality Solutions

Pro:Centric® Smart CMS	Pro:Centric® Direct	Pro:Centric® V	Pro:Idiom® DRM (S/W, Mobile, Lite)
No	Yes (v 5.5)	No	No
Pro:Idiom® Media DRM	Pro:Centric® Data Streaming (IP)	Pro:Centric® Data Streaming (RF)	Pro:Centric Server
Yes	No	No	Not Available
Pro:Centric® IP Return Path	HCAP (GEM / FLASH / HTML)	Service Carousel (TLX, Firmware)	Mutlicast Ready
No	No	No	No
Unicast Ready	Quick Menu Version	LG Server Compatibility	
No	N/A	Not Available	

^ Panel

Screen Size (Inches)	Panel Technology	Nano Cell Technology	Back Light Type
55"	Not Available	No	Not Available
Touchscreen (P-Cap)	Aspect Ratio	Native Resolution	Refresh Rate
No	Not Available	3840 x 2160 (UHD)	60 Hz
TruMotion Refresh Rate	Brightness (Typ.)	Brightness (Min.)	Contrast Ratio
Not Available	Not Available	Not Available	Not Available
Dynamic Contrast Ratio	Viewing Angle (H x V)	Response Time (G to G)	AI Picture Pro
Not Available	Not Available	Not Available	No

Dynamic Vivid	Lifetime	HDR10 Pro	HDR HLG
No	Not Available	Yes	Yes
Game Optimizer			



 **Call us at (833) 351-5333**
 **Visit us: www.elevate-b2b.com**

Contact Elevate B2B Today

Your trusted partner for hospitality TVs, digital signage, and commercial display solutions. From installation to supply chain support, Elevate B2B delivers the technology and service your property needs.