




* All images in this document are for illustrative purposes only.

Commercial TV UK570H Series

Commercial Lite **Pro:Centric Enhanced** Pro:Centric Smart



NanoCell[®] Hospitality TV with Pro:Centric[®] Direct and *b*-LAN



Nano Panel



4K UHD



Pro:Centric Direct



USB Cloning


		UK570H Series
Design	Stand Type	1 Pole Fixed: 65" 1 Pole Swivel: 55" / 50" / 43"
	Sizes	65", 55", 50", 43"
Display	Resolution	3,840 x 2,160 (4K UHD)
	Broadcasting System	Digital: ATSC / Clear QAM Analog: NTSC
<i>b</i> -LAN		Yes
VESA	[43"]	200 x 200 mm
	[50"]	200 x 200 mm
	[55"]	300 x 300 mm
	[65"]	300 x 300 mm



LG NanoCell

Nano Panel

Experience the revolutionary technology of NanoCell, which uses a specialized polarizer and non-sized materials to achieve exceptional color reproduction without distortion. Advanced nano technology filters out impure colors from RGB wavelengths, delivering vibrant, pure colors and true 4K visuals. Enjoy lifelike imagery with precise colors and enhanced contrast. By utilizing nano-sized light-absorbing materials, NanoCell separates overlapping green and red wavelengths, expanding the color gamut. Elevate your viewing experience and watch your favorite content come to life!



Pro:Centric Direct

The hotel content management solution Pro:Centric Direct offers easy and simple editing tools, making it easy to perform service and IP network-based remote management with a single click.* The Pro:Centric Direct solution enables users to edit their interface easily by providing customized interface and efficiently manages all TVs in the room. The latest PCD version provides IoT-based in-room control as well as voice control function through LG Natural Language Processing (NLP). These IoT and voice-related functions will be your starting point to prepare for the hotel rooms of next generation through artificial intelligence.

* Some features may not be supported based on PCD versions.




USB Cloning

USB data cloning makes managing multiple displays more efficient for optimal operation. Instead of setting up each display one by one, data can be copied to a USB for one display and can be sent to the other displays through a USB plug-in.




Pro:Idiom

Digital Rights Management (DRM) technology provides access to premium content to help assure rapid and broad deployment of HDTV and other high-value digital content.



Multi-code IR

Multi-code IR function eliminates any remote-control signal interaction between multiple TVs in one place. LG hospital TV supports this when used with a Multi-code IR remote control (sold separately), so users can freely control their own TVs without disturbing the others.




Ez-Manager

Ez-Manager provides a convenient installation function automatically set up for Pro:Centric TV that provides less effort and process than manual installation.

CONNECTIVITY

UK570H

Rear




Side




DIMENSIONED DRAWINGS


65" UK570H Series




55"



50"



43"



SPECIFICATIONS

		65UK570H0UD	55UK570H0UA	50UK570H0UA	43UK570H0UA
DISPLAY	Category	Pro:Centric Enhanced	Pro:Centric Enhanced	Pro:Centric Enhanced	Pro:Centric Enhanced
	Size	65"	55"	50"	43"
	Resolution	4K Ultra HD (3,840 x 2,160)	4K Ultra HD (3,840 x 2,160)	4K Ultra HD (3,840 x 2,160)	4K Ultra HD (3,840 x 2,160)
	Brightness (Typ.)	305 nits	305 nits	330 nits	245 nits
VIDEO	HDR_HDR 10 Pro	YES	YES	YES	YES
	HDR_HLG (Hybrid Log Gamma)	YES	YES	YES	YES
	Game Optimizer	YES	YES	YES	YES
AUDIO	Speakers	20W	20W	20W	20W
	AI Sound	YES	YES	YES	YES
BROADCAST	Digital	ATSC / Clear QAM	ATSC / Clear QAM	ATSC / Clear QAM	ATSC / Clear QAM
	Analog	NTSC	NTSC	NTSC	NTSC
HOSPITALITY SOLUTION	Solution Type Pro:Idiom (DRM / Media)	Pro:Centric (Direct, V)	Pro:Centric (Direct, V)	Pro:Centric (Direct, V)	Pro:Centric (Direct, V)
	webOS version	YES	YES	YES	YES
SMART FEATURES	Mood Display (UK560H only) HDMI eARC/ARC	webOS 25	webOS 25	webOS 25	webOS 25
	EZ-Manager	YES	YES	YES	YES
	USB Cloning	YES (HDMI2)	YES (HDMI2)	YES (HDMI2)	YES (HDMI2)
	Wake on RF	YES	YES	YES	YES
HOSPITALITY FEATURES	Diagnostics	YES	YES	YES	YES
	HTNG-CEC (Version)	YES	YES	YES	YES
	Simplink (HDMI-CEC) (Version)	YES (Self Diagnostics (USB))	YES (Self Diagnostics (USB))	YES (Self Diagnostics (USB))	YES (Self Diagnostics (USB))
	IR Out	YES (1.4)	YES (1.4)	YES (1.4)	YES (1.4)
	Multi-code IR	YES (RS-232C, MPI)	YES (RS-232C, MPI)	YES (RS-232C, MPI)	YES (RS-232C, MPI)
	Installer Menu	YES	YES	YES	YES
	Welcome Screen (Splash Image)	YES	YES	YES	YES
	Insert Image	YES	YES	YES	YES
	One Channel Map	YES	YES	YES	YES
	External Speaker Out / Line Out	YES (LCM)	YES (LCM)	YES (LCM)	YES (LCM)
	Instant ON	YES / YES	YES / YES	YES / YES	YES / YES
	Port Block	YES	YES	YES	YES
	Lock mode	YES	YES	YES	YES
	RJP (Remote Jack Pack) Compatibility	YES (Limited)	YES (Limited)	YES (Limited)	YES (Limited)
	Energy Saving mode	YES	YES	YES	YES
	Lock mode				
		YES	YES	YES	YES
		YES (Limited)	YES (Limited)	YES (Limited)	YES (Limited)
	b-LAN	YES (Single b-LAN)	YES (Single b-LAN)	YES (Single b-LAN)	YES (Single b-LAN)
	Energy Saving mode	YES	YES	YES	YES

SPECIFICATIONS

	65UK570H0UD	55UK570H0UA	50UK570H0UA	43UK570H0UA		
CONNECTIVITY	Rear					
	LAN (RJ45) (Usage Purpose)	YES (x2) (Ethernet, Aux)	YES (x2) (Ethernet, Aux)	YES (x2) (Ethernet, Aux)	YES (x2) (Ethernet, Aux)	
	MPI (RJ12)	YES	YES	YES	YES	
	Optical Digital Audio Out	YES	YES	YES	YES	
	HDMI In	Yes (HDMI 1)	Yes (HDMI 1)	Yes (HDMI 1)	Yes (HDMI 1)	
	TV-Link CFG	YES (3.5mm TRS)	YES (3.5mm TRS)	YES (3.5mm TRS)	YES (3.5mm TRS)	
	Antenna/Cable In (Coax)	YES	YES	YES	YES	
	Side					
	HDMI In	YES (HDMI 2, HDMI 3)	YES (HDMI 2, HDMI 3)	YES (HDMI 2, HDMI 3)	YES (HDMI 2, HDMI 3)	
	Service Only	YES (3.5mm TRS)	YES (3.5mm TRS)	YES (3.5mm TRS)	YES (3.5mm TRS)	
USB 2.0	YES	YES	YES	YES		
RS-232C (Control & Service)	YES (3.5mm TRRS)	YES (3.5mm TRRS)	YES (3.5mm TRRS)	YES (3.5mm TRRS)		
External Speaker Out / Line Out	Yes (Stereo)	Yes (Stereo)	Yes (Stereo)	Yes (Stereo)		
MECHANICAL	Stand Type	1 Pole (Swivel)	1 Pole (Swivel)	1 Pole (Swivel)	1 Pole (Swivel)	
	Front Color	Charcoal Black	Charcoal Black	Charcoal Black	Charcoal Black	
	VESA Compatible	300 x 300 mm	300 x 300 mm	200 x 200 mm	200 x 200 mm	
	Kensington Lock	YES	YES	YES	YES	
	Credenza/Security Aperture	NO	YES (Stand Required)	YES (Stand Required)	YES (Stand Required)	
	Security Lock Down Plate	NO	YES (Stand Required)	YES (Stand Required)	YES (Stand Required)	
	Dimensions with Stand (W x H x D)	57.2 x 35.8 x 13.4 in. 1454 x 909 x 340 mm	48.6 x 30.6 x 11.9 in. 1235 x 777 x 303 mm	44.1 x 28.1 x 11.9 in. 1121 x 713 x 303 mm	38.1 x 24.5 x 11.9 in. 967 x 623 x 303 mm	
	Shipping Dimensions (W x H x D)	57.2 x 33.0 x 2.3 in. 1454 x 838 x 57.7 mm	48.6 x 28.1 x 2.3 in. 1235 x 715 x 57.5 mm	44.1 x 25.6 x 2.2 in. 1121 x 651 x 57.1 mm	38.1 x 22.2 x 2.2 in. 967 x 564 x 57.1 mm	
	On-Bezel Width (L / R / T / B)	63.0 x 38.2 x 6.8 in. 1600 x 970 x 172 mm	53.5 x 31.9 x 6.4 in. 1360 x 810 x 162 mm	47.8 x 30.5 x 6.0 in. 1215 x 775 x 152 mm	41.5 x 26.0 x 5.6 in. 1055 x 660 x 142 mm	
	Off-Bezel Width (L / R / T / B)	12.8 / 12.8 / 12.8 / 19.9 mm	12.8 / 12.8 / 12.8 / 19.9 mm	12.8 / 12.8 / 12.8 / 19.9 mm	12.8 / 12.8 / 12.8 / 19.9 mm	
	Weight with Stand	6.8 / 6.8 / 6.8 / 18.4 mm	6.9 / 6.9 / 6.9 / 18.4 mm	7.3 / 7.3 / 7.8 / 18.4 mm	6.9 / 6.9 / 6.9 / 18.4 mm	
	Weight without Stand	50.5 lbs. / 22.9 kg	37.9 lbs. / 17.2 kg	33.7 lbs. / 15.3 kg	26.5 lbs. / 12.0 kg	
	Shipping Weight	47.4 lbs. / 21.5 kg	30.9 lbs. / 14.0 kg	26.7 lbs. / 12.1 kg	19.4 lbs. / 8.8 kg	
	Power Supply	63.7 lbs. / 28. kg	49.2 lbs. / 22.3 kg	41.0 lbs. / 18.6 kg	34.0 lbs. / 15.4 kg	
	Max Power Consumption	120 Vac, 50/60 Hz	120 Vac, 50/60 Hz	120 Vac, 50/60 Hz	120 Vac, 50/60 Hz	
	ELECTRICAL	Typical Power Consumption	TBD	TBD	TBD	TBD
		Standby Power Consumption	TBD	TBD	TBD	TBD
		Warranty	Less than 0.5 W	Less than 0.5 W	Less than 0.5 W	Less than 0.5 W
		UPC	3 Year Limited	3 Year Limited	3 Year Limited	3 Year Limited
	WARRANTY & OTHER	Regulatory	1 95174 13179 4	1 95174 12990 6	1 95174 13237 1	1 95174 13174 9
		FCC	FCC	FCC	FCC	
Remote Control Type		Regular S-Con Included / MMR available for purchase	Regular S-Con Included / MMR available for purchase	Regular S-Con Included / MMR available for purchase	Regular S-Con Included / MMR available for purchase	
Power Cable		YES (1.8M / Straight Type)	YES (1.8M / Straight Type)	YES (1.8M / Straight Type)	YES (1.8M / Straight Type)	

* Specifications are subject to change without notice. Please make sure to check the product manual for details about product usage.