



* Actual product appearance may differ from the above simulated scene.

Pro:Centric[®] Direct Hospitality UHD TV with Pro:Idiom[®]

UT560H9 Series

Commercial Lite	Pro:Centric Value	Pro:Centric Direct	Pro:Centric Direct Smart
-----------------	-------------------	---------------------------	--------------------------

The UT560H Series features UHD resolution that creates vivid details and a flawless picture. It has LG Pro:Centric technology, which offers extended customizable tools (HTML5 and Java) for partners to create interactive applications with increased visual appeal. These enhanced features enable delivery of a wide range of unique applications tailored to both hotel management and guests' needs.



* Screen images are for illustrative purposes only.

Pro:Centric Direct Hospitality UHDTV with Pro:Idiom UT560H9 SERIES


KEY FEATURES*

Dozens of Languages

This series supports 39 languages (including Hebrew, Arabic, and Farsi) and language alignment, making guests from all over the world feel more at home and comfortable.

Basic & Easy-to-Use Templates

Pro:Centric Application (PCA) provides basic, easy-to-use templates that can be selected based on customer preference.





Customizable Template & Page

Choose alternative looks for billboards based on your preferences, and edit multiple sections with up to 40 pages of billboards by yourself with this web-based tool.

Multi-Channel Spooling


Operation of up to eight hotel channels (22 sub-channels) offer programming flexibility, customized content and additional services.



* Screen images are for illustrative purposes only.



service and manage all the property's TVs efficiently.



experience. The stunning 8.3 million pixels create flawless images



Pro:Centric Direct Hospitality UHDTV with Pro:Idiom UT560H9 SERIES

KEY FEATURES*

EZ-Manager

EZ-Manager provides a convenient installation function to automatically choose settings for the Pro:Centric without any extra configuration.



Instant On

The Instant On feature allows the Pro:Centric app to remain loaded giving guests quick access to content when they turn on the TV.

service and manage all the property's TVs efficiently.



Commercial Swivel Stand

The UT560H Series commercial grade stand swivels to allow guests to view the TV from virtually any angle and can easily be fastened to a tabletop for security purposes.



USB Data Cloning

USB memory device. Use the USB device to easily import the setup to other TVs of the same model.




* Screen images are for illustrative purposes only.

Pro:Centric Direct Hospitality UHD TV with Pro:Idiom


UT560H9 SERIES

DIMENSIONS


65"




55"



50"



43"



Pro:Centric Direct Hospitality UHD TV with Pro:Idiom

UT560H9 SERIES

SPECIFICATIONS

	65UT560H9UB	55UT560H9UA	50UT560H9UA	43UT560H9UA	
DISPLAY	Diagonal Size Resolution	65"	55"	50"	43"
	Backlight Unit Type	3,840 X 2,160 (UHD)	3,840 X 2,160 (UHD)	3,840 X 2,160 (UHD)	3,840 X 2,160 (UHD)
	Brightness	Direct	Direct	Direct	Direct
	TruMotion / Refresh Rate	400 nits	400 nits	INX: 400 nits / LGD: 360 nits	400 nits
	Life Span	T120 / 60 Hz	T120 / 60 Hz	T120 / 60 Hz	T120 / 60 Hz
	HDR 10 Pro	30,000 hours	30,000 hours	30,000 hours	30,000 hours
	HDR HLG	Yes	Yes	Yes	Yes
	Digital (Terrestrial, Cable, Satellite)	Yes	Yes	Yes	Yes
BROADCASTING	Analog (NTSC / SECAM / PAL)	ATSC, Clear QAM	ATSC, Clear QAM	ATSC, Clear QAM	ATSC, Clear QAM
	MPEG-2 / MPEG-4 H.264 Decoding	NTSC	NTSC	NTSC	NTSC
	Closed Caption	Yes	Yes	Yes	Yes
	Speaker (Sound Output)	Yes	Yes	Yes	Yes
AUDIO	Speaker System	10 W + 10 W	10 W + 10 W	10 W + 10 W	10 W + 10 W
	LG Sound Sync	2.0 ch	2.0 ch	2.0 ch	2.0 ch
	Data Streaming (IP & RF)	Yes	Yes	Yes	Yes
	HCAP (GEM / FLASH / HTML)	Yes	Yes	Yes	Yes
HOSPITALITY	IP Return Path	GEM / HTML5	GEM / HTML5	GEM / HTML5	GEM / HTML5
	Multicast / Unicast (Pro:Centric Data Only)	Yes	Yes	Yes	Yes
	Pro:Centric Direct (Version)	Yes	Yes	Yes	Yes
	Pro:Centric Application (Version)	Yes (2.5)	Yes (2.5)	Yes (2.5)	Yes (2.5)
	Pro:Centric Server	Yes (PCA 3.8)	Yes (PCA 3.8)	Yes (PCA 3.8)	Yes (PCA 3.8)
	Pro:Idiom DRM	PCS400R	PCS400R	PCS400R	PCS400R
	Smart Home (Launcher Bar)	SW.Type / Mobile / Lite	SW.Type / Mobile / Lite	SW.Type / Mobile / Lite	SW.Type / Mobile / Lite
	Clock and Alarm	Yes	Yes	Yes	Yes
SMART FEATURES	EZ-Manager	Yes	Yes	Yes	Yes
	USB Cloning	Yes	Yes	No	Yes
OTHER FEATURES	Update Time	Yes	Yes	Yes	Yes
	SI Compatible	Yes	Yes	Yes	Yes
	Simplink (HDMI-CEC, plus HTNG)	Yes	Yes	Yes	Yes
	IR Signal from Receiver (Logic Low Pulses)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)	Yes (MPI, RS-232C)
	IR Signal from Receiver (Logic High Pulses)	Yes (1.4)	Yes (1.4)	Yes (1.4)	Yes (1.4)
	Multi-code IR	MPI	MPI	MPI	MPI
	Hotel Mode / PDM / Installer Menu	RS-232C	RS-232C	RS-232C	RS-232C
	Welcome Screen (Boot Logo)	Yes	Yes	Yes	Yes
	One Channel Map	Yes	Installer Menu	Yes	Yes
	Audio Line Out (Stereo)	Yes	Yes	Yes	Yes
	Instant On	Yes	Yes	Yes	Yes
	RJP (Remote Jack Pack) Compatibility	Yes	Yes	Yes	Yes
	Auto Off / Sleep Timer	Yes	Yes	Yes	Yes
	Smart Energy Saving	Yes	Yes (HDMI CEC)	Yes	Yes
	Motion Eye Care	Yes (HDMI CEC)	Yes / Yes	Yes (HDMI CEC)	Yes (HDMI CEC)
	b-LAN Embedded	Yes / Yes	Yes	Yes / Yes	Yes / Yes
	Yes	Yes	Yes	Yes	
	Yes	No	Yes	Yes	
	No		No	No	

Pro:Centric Direct Hospitality UHD TV with Pro:Idiom

UT560H9 SERIES


SPECIFICATIONS

	65UT560H9UB	55UT560H9UA	50UT560H9UA	43UT560H9UA	
INTERFACES	HDMI In USB RF In AV In	3 (2.0)	3 (2.0)	3 (2.0)	3 (2.0)
	(Adaptor included) Digital	1 (2.0)	1 (2.0)	1 (2.0)	1 (2.0)
	Audio Out LAN (RJ45) RS-232C (Control & Service)	Yes	Yes	Yes	Yes
	Service Only Audio Line Out	Optical	Optical	Optical	Optical
	MPI Port (RJ12) Front Color	1 (Pro:Centric)	1 (Pro:Centric)	1 (Pro:Centric)	1 (Pro:Centric)
	VESA Compatible	D-Sub 9 pin	D-Sub 9 pin	D-Sub 9 pin	D-Sub 9 pin
	Stand Type	3.5mm Stereo Jack	3.5mm Stereo Jack	3.5mm Stereo Jack	3.5mm Stereo Jack
	Kensington Lock	3.5mm Stereo Jack	3.5mm Stereo Jack	3.5mm Stereo Jack	3.5mm Stereo Jack
	Credenza / Security Aperture	Yes	Yes	Yes	Yes
	Lock Down Plate	Ceramic Black	Ceramic Black	Ceramic Black	Ceramic Black
MECHANICALS	Weight without Stand	300 x 300	300 x 300	300 x 300	200 x 200
	Weight with Stand	1 Pole Fixed	1 Pole Swivel	1 Pole Swivel	1 Pole Swivel
	Shipping Weight	No	Yes	Yes	Yes
	Dimensions without Stand (Depth to Back-VESA Location)	No	Yes	Yes	Yes
	Dimensions without Stand (Depth to Back of Speaker)	No	Yes	Yes	Yes
	Dimensions with Stand	47.2 lbs / 21.4 kg	30.9 lbs / 14.0 kg	24.9 lbs / 11.3 kg	17.6 lbs / 8.0 kg
		49.4 lbs / 22.4 kg	37.9 lbs / 17.2 kg	31.8 lbs / 14.5 kg	17.6 lbs / 8.0 kg
		65.7 lbs / 29.8 kg	50.5 lbs / 22.9 kg	40.3 lbs / 18.3 kg	17.6 lbs / 8.0 kg
		57.6" x 33.5" x 3.5" / 1,463 x 850 x 88 mm	49.0" x 28.6" x 3.4" / 1,244 x 726 x 87 mm	44.5" x 26.1" x 3.4" / 1,130 x 663 x 86.3 mm	38.3" x 22.5" x 3.0" / 973 x 572 x 76 mm
		57.6" x 33.5" x 3.5" / 1,463 x 850 x 88 mm	49.0" x 28.6" x 3.4" / 1,244 x 726 x 87 mm	44.5" x 26.1" x 3.4" / 1,130 x 663 x 86.3 mm	38.3" x 22.5" x 3.3" / 973 x 572 x 85 mm
	57.6" x 36.0" x 13.4" / 1,463 x 914 x 340 mm	49.0" x 30.7" x 11.9" / 1,244 x 780 x 303 mm	44.5" x 30.4" x 11.9" / 1,130 x 722 x 303 mm	38.3" x 24.6" x 11.9" / 973 x 626 x 303 mm	
Shipping Dimensions	63.0" x 42.1" x 8.1" / 1,600 x 1,070 x 207 mm	55.5" x 33.9" x 8.1" / 1,410 x 860 x 207 mm	52.1" x 31.9" x 7.9" / 1,325 x 810 x 200 mm	45.2" x 26.0" x 7.5" / 1,147 x 660 x 190 mm	
POWER	Power Supply (Voltage, Hz)	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz	120 V, 50 / 60 Hz
	Power Consumption (Max)	200 W	160 W	157.3 W	120 W
	Power Consumption (Typical)	172 W	144 W	128.7 W	99 W
	Power Consumption (Standby)	Less than 0.5 W	Less than 0.5 W	Less than 0.5 W	Less than 0.5 W
ACCESSORIES	Remote Type	S-Con	S-Con	S-Con	S-Con
	AV In Adaptor Cable	3.5mm TRRS plug to 3 RCA Jacks	3.5mm TRRS plug to 3 RCA Jacks	3.5mm TRRS plug to 3 RCA Jacks	3.5mm TRRS plug to 3 RCA Jacks
	Chromecast Anti-theft Cover	Yes (Option)	Yes (Option)	Yes (Option)	Yes (Option)
	Power Cable	Yes (1.8 m, RA Type)	Yes (1.8 m, Angle Type)	Yes (1.8 m, Angle Type)	Yes (1.8 m, Angle Type)
WARRANTY & OTHER	Standards	UL	UL	UL	UL
		FCC	FCC	FCC	FCC
	Warranty	Two-Year Limited Warranty	Two-Year Limited Warranty	Two-Year Limited Warranty	Two-Year Limited Warranty
	UPC	7 19192 63083 3	7 19192 63084 0	1 95174 01090 7	7 19192 63119 9


CONNECTIVITY

REAR

65" / 50" / 43"



SIDE



Specifications are subject to change without notice. Please contact your LG sales team to verify before ordering.



Call us at (833) 351-5333
Visit us: www.elevate-b2b.com

Contact Elevate B2B Today

Your trusted partner for hospitality TVs, digital signage, and commercial display solutions. From installation to supply chain support, Elevate B2B delivers the technology and service your property needs.

