

Danby Medical Fridges

NIST Temperature Monitoring Device

DanbyHealth is the medical division of Danby, producing freezers and fridges for medical, clinical, and scientific use. Whether in a lab, pharmacy, retirement home, or for personal use—you can trust the brand with over 70 years of quality refrigeration experience.



1.6 Cubic Foot Refrigerator

FEATURES

- Temperature Range: 36°F to 46°F (2°C to 8°C)
- Purpose-built to meet the recommendations of the CDC and VFC for reliable vaccine storage
- Separate ISO 17025:2017 Certified NIST thermometer with min/max manual logging and temperature alarm functions

SPECIFICATIONS

Width	44.93 cm	17 11/16"
Depth	49.21 cm	19 6/16"
Height	53.02 cm	20 14/16"

DH016A1W-T Temperature Monitoring Device UPC: 67638028035



3.2 Cubic Foot Refrigerator

FEATURES

- Temperature Range: 36°F to 46°F (2°C to 8°C)
- Purpose-built to meet the recommendations of the CDC and VFC for reliable vaccine storage
- Separate ISO 17025:2017 Certified NIST thermometer with min/max manual logging and temperature alarm functions

SPECIFICATIONS

Width	44.93 cm	17 11/16"
Depth	49.21 cm	19 6/16"
Height	87.47 cm	34 7/16"

DH032A1W-T Temperature Monitoring Device UPC: 67638028059



Danby Health 3.2 Cubic Foot Medical Refrigerator - White DH032A1W



FEATURES

- ▶ Temperature Stability: Engineered to maintain a steady temperature range (2oC - 8oC)(36oF - 46oF)
- ▶ Internal Forced Air Fan: Ensures even cooling from top to bottom
- ▶ Integrated Temperature Logger: Tracks refrigerator readings, a simple and definitive solution to accurate air temperature monitoring.
- ▶ High/Low Alarm: Alarm sounds when fridge air temperature rises or falls of set range.
- ▶ Keyed Door Lock: Ensures ultimate temperature control and product safety.
- ▶ Hospital Grade Power Cord: This unit features a durable hospital grade green dot power cord.
- ▶ Compact Design: Danby Health is made for fitting in, this unit is the perfect counter size for pharmacies, labs, clinics, research centers, beauty counters, senior homes and medical offices.
- ▶ UL 471 Compliant
- ▶ Includes Silver Coated Handle

SPECIFICATIONS & DESCRIPTION

Dimensions		
Product Width	44.93 cm	17 11/16"
Product Depth	49.21 cm	19 6/16"
Product Height	87.47 cm	34 7/16"
Shipping Details		
Weight	23.1 kg	50.82lb
Capacity		
Loading Capacity	3.2 cu. ft.	
UPC: 067638019415		

Warranty

24 months parts and labor coverage with carry-in service. Installation and/or yearly maintenance (cleaning) are not covered under warranty.

Traceable Jumbo Refrigerator /Freezer Thermometer with Calibration: 1 Bottle Probe



FEATURES

- ▶ Includes NIST-Traceable certificate from our A2LA accredited (1750.01) calibration laboratory.
- ▶ Memory can be cleared after downloading data & alarm events.
- ▶ Set limits for and store up to 10 unique events.
- ▶ Smart-Alarm™ with visual/audible alarm continues to alert even if conditions return to normal range.
- ▶ Triple-display: shows high, low, and current temperature simultaneously.

INCLUDES

- ▶ NIST-traceable calibration certificate with data, hook-and-loop and magnetic strips, and one AAA alkaline battery.

SPECIFICATIONS & DESCRIPTION

Meter Measurement Type	Digital Indicator
Length(″)	3 1/4
Width(″)	0
Number of Probe Channels	1
Min Temperature (oF)	-40
Max Temperature (oF)	122
Min Temperature (oC)	-40
Max Temperature (oC)	50
Resolution	0.1
Alarm	Yes